

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method for monitoring a vehicle, comprising:

(a) wirelessly receiving data, by a computer system and from a vehicle, the data comprising numerical diagnostic or location-based data associated with the vehicle;

(b) processing the data with the computer system to generate diagnostic or location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data;

(c) displaying the derived diagnostic or location information on at least one website, the website having a first web interface dedicated to presenting information associated with the vehicle and a second web interface to present information associated with a group of vehicles including the vehicle; and

(d) transmitting an electronic communication including information associated with the derived diagnostic or location information,

wherein the received data contains one or more vehicle parameters and wherein the processing further includes processing at least one of the vehicle parameters with a database

application,

wherein the processing further includes extracting at least one of the following vehicle parameters from the received data: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location,

wherein the numerical diagnostic data associated with the vehicle comprises at least one of numerical data generated by a sensor in the vehicle, and numerical data generated by a computer within the vehicle,

wherein the numerical diagnostic data includes at least one of the following numerical parameters: diagnostic trouble codes, vehicle speed, fuel level, fuel pressure, miles per gallon, engine RPM, mileage, oil pressure, oil temperature, tire pressure, tire temperature, engine coolant temperature, intake-manifold pressure, engine performance tuning parameters, alarm status, accelerometer status, cruise-control status, fuel injector performance, spark-plug timing, and a status of an anti-lock braking system,

wherein the processing further comprises processing at least one numerical parameter from the numerical data with a mathematical algorithm,

wherein the processing further comprises comparing at least one numerical parameter with at least one numerical parameter generated at an earlier point in time,

wherein the displaying further comprises displaying at least one numerical parameter and at least one numerical parameter generated at an earlier point in time,

wherein the first web interface is a customer interface, and

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

2. (currently amended) A method for monitoring a vehicle, comprising:

(a) wirelessly receiving data, by a computer system and from a vehicle, the data comprising numerical diagnostic or location-based data associated with the vehicle;

(b) processing the data with the computer system to generate diagnostic or location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data;

(c) displaying the derived diagnostic or location information on at least one website, the website having a first web interface dedicated to presenting information associated with the vehicle and a second web interface to present information associated with a group of vehicles including the vehicle; and

(d) transmitting an electronic communication including information associated with

the derived diagnostic or location information,

wherein the first web interface is a customer interface,

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

3. (previously presented) The method of claim 2, wherein the received data contains one or more vehicle parameters and wherein the processing further includes processing at least one of the vehicle parameters with a database application.

4. (previously presented) The method of claim 3, wherein the processing further includes extracting at least one of the following vehicle parameters from the received data: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location.

5. (previously presented) The method of claim 2, wherein the communication describes an active or pending diagnostic trouble code.

6. (previously presented) The method of claim 5, wherein the communication comprises a

5, 6, or 7 digit code that describes the active or pending diagnostic trouble code.

7. (previously presented) The method of claim 2, wherein the numerical diagnostic data associated with the vehicle comprises at least one of numerical data generated by a sensor in the vehicle, and numerical data generated by a computer within the vehicle.

8. (previously presented) The method of claim 7, wherein the numerical diagnostic data includes at least one of the following numerical parameters: diagnostic trouble codes, vehicle speed, fuel level, fuel pressure, miles per gallon, engine RPM, mileage, oil pressure, oil temperature, tire pressure, tire temperature, engine coolant temperature, intake-manifold pressure, engine performance tuning parameters, alarm status, accelerometer status, cruise-control status, fuel injector performance, spark-plug timing, and a status of an anti-lock braking system.

9. (previously presented) The method of claim 8, wherein the processing further comprises processing at least one numerical parameter from the numerical data with a mathematical algorithm.

10. (previously presented) The method of claim 9, wherein the processing further comprises comparing at least one numerical parameter with at least one numerical parameter generated at an earlier point in time.

11. (previously presented) The method of claim 10, wherein the displaying further comprises displaying at least one numerical parameter and at least one numerical parameter generated at an earlier point in time.

12. (previously presented) The method of claim 9, wherein the processing further comprises comparing at least one numerical parameter with at least one predetermined numerical value.

13. (previously presented) The method of claim 12, wherein the displaying further comprises displaying at least one numerical parameter and at least one predetermined numerical value.

14. (previously presented) The method of claim 12, wherein the at least one predetermined numerical value comprises a mileage value.

15. (previously presented) The method of claim 2, wherein the communication comprises an alert.

16. (previously presented) The method of claim 15, wherein the alert is associated with a problem in the vehicle or a predetermined maintenance event for the vehicle.

Claims 17-19 have been canceled.

20. (previously presented) The method of claim 2, wherein the vehicle is at a location

remote from the computer system.

21. (previously presented) The method of claim 2, further comprising updating software of the at least one website.

22. (previously presented) The method of claim 2, wherein the at least one website includes a login webpage comprising at least username and password input fields.

23. (previously presented) The method of claim 2, wherein the communication describes the vehicle's location.

Claim 24 has been canceled.

25. (currently amended) A method for monitoring a set of vehicles, comprising:

(a) wirelessly receiving, by a computer system and from a first vehicle and a second vehicle among a set of vehicles, first and second data packets comprising numerical diagnostic or location-based data associated respectively with the first and second vehicles;

(b) processing the respective data packets with the computer system to generate, for each of the first and second vehicles, diagnostic or location information that is at least in part derived from the received data packets, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data packets;

(c) displaying the derived diagnostic or location information for the first vehicle on a first web interface of a website;

(d) displaying the derived diagnostic or location information for the first and second vehicles on a second web interface of the website, the second web interface being different from the first web interface; and

(e) transmitting an electronic communication including information associated with the derived diagnostic or location information,

wherein the first web interface is a customer interface,

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicles are selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

26. (previously presented) The method of claim 25, wherein the processing further includes extracting at least one of the following vehicle parameters from the first and second data packets: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location.

27. (previously presented) The method of claim 26, wherein the processing further

includes processing at least one of the vehicle parameters with a database application.

28. (previously presented) The method of claim 25, wherein the website comprises a login web page including username and password input fields.

29. (currently amended) A method for monitoring a vehicle, comprising:

(a) wirelessly receiving, by a computer system and from a vehicle, data descriptive of the vehicle's location;

(b) processing the received data with the computer system to generate location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data; and

(c) displaying the generated location information on a website, the website implementing a first web interface having a first login and dedicated to presenting information about the vehicle, and a second web interface having a second login and presenting information about a group of vehicles including the vehicle,

wherein the first web interface is a customer interface,

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

30. (currently amended) A programmed apparatus, programmed to execute a method comprising:

(a) wirelessly receiving data, by a computer system and from a vehicle, the data comprising numerical diagnostic or location-based data associated with the vehicle;

(b) processing the data with the computer system to generate diagnostic or location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data;

(c) displaying the derived diagnostic or location information on at least one website, the website having a first web interface dedicated to presenting information associated with the vehicle, and a second web interface to present information associated with a group of vehicles including the vehicle; and

(d) transmitting an electronic communication including information associated with the derived diagnostic or location information,

wherein the received data contains one or more vehicle parameters and wherein the processing further includes processing at least one of the vehicle parameters with a database

application,

wherein the processing further includes extracting at least one of the following vehicle parameters from the received data: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location,

wherein the numerical diagnostic data associated with the vehicle comprises at least one of numerical data generated by a sensor in the vehicle, and numerical data generated by a computer within the vehicle,

wherein the numerical diagnostic data includes at least one of the following numerical parameters: diagnostic trouble codes, vehicle speed, fuel level, fuel pressure, miles per gallon, engine RPM, mileage, oil pressure, oil temperature, tire pressure, tire temperature, engine coolant temperature, intake-manifold pressure, engine performance tuning parameters, alarm status, accelerometer status, cruise-control status, fuel injector performance, spark-plug timing, and a status of an anti-lock braking system,

wherein the processing further comprises processing at least one numerical parameter from the numerical data with a mathematical algorithm,

wherein the processing further comprises comparing at least one numerical parameter with at least one numerical parameter generated at an earlier point in time,

wherein the displaying further comprises displaying at least one numerical parameter and at least one numerical parameter generated at an earlier point in time,

wherein the first web interface is a customer interface, and

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

31. (currently amended) A programmed apparatus, programmed to execute a method comprising:

(a) wirelessly receiving data, by a computer system and from a vehicle, the data comprising numerical diagnostic or location-based data associated with the vehicle;

(b) processing the data with the computer system to generate diagnostic or location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and-wherein the derived information has a meaning distinct from the received data;

(c) displaying the derived diagnostic or location information on at least one website, the website having a first web interface dedicated to presenting information associated with the vehicle, and a second web interface to present information associated with a group of vehicles including the vehicle; and

(d) transmitting an electronic communication including information associated with the derived diagnostic or location information,

wherein the first web interface is a customer interface,

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

32. (previously presented) The programmed apparatus of claim 31, wherein the received data contains one or more vehicle parameters and wherein the processing further includes processing at least one of the vehicle parameters with a database application.

33. (previously presented) The programmed apparatus of claim 32, wherein the processing further includes extracting at least one of the following vehicle parameters from the received data: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location.

34. (previously presented) The programmed apparatus of claim 31, wherein the communication describes an active or pending diagnostic trouble code.

35. (previously presented) The programmed apparatus of claim 34, wherein the communication comprises a 5, 6, or 7 digit code that describes the active or pending diagnostic trouble code.

36. (previously presented) The programmed apparatus of claim 31, wherein the numerical diagnostic data associated with the vehicle comprises at least one of numerical data generated by a sensor in the vehicle, and numerical data generated by a computer within the vehicle.

37. (previously presented) The programmed apparatus of claim 36, wherein the numerical diagnostic data includes at least one of the following numerical parameters: diagnostic trouble codes, vehicle speed, fuel level, fuel pressure, miles per gallon, engine RPM, mileage, oil pressure, oil temperature, tire pressure, tire temperature, engine coolant temperature, intake-manifold pressure, engine performance tuning parameters, alarm status, accelerometer status, cruise-control status, fuel injector performance, spark-plug timing, and a status of an anti-lock braking system.

38. (previously presented) The programmed apparatus of claim 37, wherein the processing further comprises processing at least one numerical parameter from the numerical data with a mathematical algorithm.

39. (previously presented) The programmed apparatus of claim 38, wherein the processing further comprises comparing at least one numerical parameter with at least one

numerical parameter generated at an earlier point in time.

40. (previously presented) The programmed apparatus of claim 39, wherein the displaying further comprises displaying at least one numerical parameter and at least one numerical parameter generated at an earlier point in time.

41. (previously presented) The programmed apparatus of claim 38, wherein the processing further comprises comparing at least one numerical parameter with at least one predetermined numerical value.

42. (previously presented) The programmed apparatus of claim 41, wherein the at least one predetermined numerical value comprises a mileage value.

43. (previously presented) The programmed apparatus of claim 31, wherein the communication comprises an alert.

44. (previously presented) The programmed apparatus of claim 43, wherein the alert is associated with a problem in the vehicle or a predetermined maintenance event for the vehicle.

Claims 45-47 have been canceled.

48. (previously presented) The programmed apparatus of claim 31, wherein the vehicle is at a location remote from the computer system.

49. (previously presented) The programmed apparatus of claim 31, wherein the at least one website includes a login webpage comprising at least username and password input fields.

50. (previously presented) The programmed apparatus of claim 31, wherein the communication describes the vehicle's location.

Claim 51 has been canceled.

52. (currently amended) A machine-readable medium encoded with a plurality of processor-executable instructions for:

(a) wirelessly receiving data, by a computer system and from a vehicle, the data comprising numerical diagnostic or location-based data associated with the vehicle;

(b) processing the data with the computer system to generate diagnostic or location information that is at least in part derived from the received data, wherein the generated information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data;

(c) displaying the derived diagnostic or location information on at least one website, the website having a first web interface dedicated to presenting information associated with the vehicle and a second web interface to present information associated with a group of vehicles including the vehicle; and

(d) transmitting an electronic communication including information associated with the derived diagnostic or location information,

wherein the first web interface is a customer interface,

wherein the second web interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the vehicle is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

53. (previously presented) The machine-readable medium of claim 52, wherein the received data contains one or more vehicle parameters and wherein the processing further includes extracting at least one of the following vehicle parameters from the received data: numerical data, an alphanumeric text message, an active or pending diagnostic trouble code, a vehicle identification number, and a GPS-determined location.

54. (previously presented) The machine-readable medium of claim 52, wherein the communication describes an active or pending diagnostic trouble code.

55. (previously presented) The machine-readable medium of claim 52, wherein the numerical diagnostic data associated with the vehicle comprises at least one of numerical data generated by a sensor in the vehicle, and numerical data generated by a computer within the

vehicle.

56. (previously presented) The machine-readable medium of claim 55, wherein the numerical diagnostic data includes at least one of the following numerical parameters: diagnostic trouble codes, vehicle speed, fuel level, fuel pressure, miles per gallon, engine RPM, mileage, oil pressure, oil temperature, tire pressure, tire temperature, engine coolant temperature, intake-manifold pressure, engine performance tuning parameters, alarm status, accelerometer status, cruise-control status, fuel injector performance, spark-plug timing, and a status of an anti-lock braking system.

57. (previously presented) The machine-readable medium of claim 56, wherein the processing further comprises processing at least one numerical parameter from the numerical data with a mathematical algorithm.

58. (previously presented) The machine-readable medium of claim 57, wherein the processing further comprises comparing at least one numerical parameter with at least one numerical parameter generated at an earlier point in time.

59. (previously presented) The machine-readable medium of claim 52, wherein the communication comprises an alert.

Claims 60-62 have been canceled.

63. (currently amended) A graphical user interface for displaying processed information for a set of vehicles, comprising:

a viewing device displaying a graphical user interface including:

- (a) a first interface displaying information associated with a set of vehicles and viewable by at least one organization; and
- (b) a second interface displaying information associated with a vehicle among the set of vehicles;

wherein the information displayed by the first interface and the second interface is at least in part derived from data wirelessly received by a computer system from a vehicle, and wherein the information comprises at least one of vehicle status reports and vehicle service recommendations, and wherein the derived information has a meaning distinct from the received data,

wherein the second interface is a customer interface,

wherein the first interface is an interface for at least one organization selected from a group comprising a dealership, a service entity, an insurance entity, a performance monitoring entity, and a survey entity, and

wherein the set of vehicles is selected from a group comprising an automobile, truck, wheeled commercial equipment, heavy truck, power sport vehicle, collision repair vehicle, marine vehicle, and recreational vehicle.

64. (previously presented) The graphical user interface of claim 63, wherein the displayed

graphical user interface further includes a login interface comprising at least username and password input fields.

Claim 65 has been canceled.

66. (previously presented) The graphical user interface of claim 63, wherein the status information at least in part includes historical status information.

67. (previously presented) The graphical user interface of claim 63, wherein the displayed graphical user interface includes a web browser.

68. (previously presented) The graphical user interface of claim 63, wherein the displayed graphical user interface is formatted using at least one wireless access protocol (WAP).

69. (previously presented) The graphical user interface of claim 63, wherein the viewing device is one of a cellular telephone, a personal digital assistant (PDA), and a computer.

70. (previously presented) The method of claim 1, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

71. (previously presented) The method of claim 2, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

72. (previously presented) The method of claim 25, wherein the vehicle status reports and

the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

73. (previously presented) The method of claim 29, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

74. (previously presented) The programmed apparatus of claim 30, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

75. (previously presented) The programmed apparatus of claim 31, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

76. (previously presented) The machine-readable medium of claim 52, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.

77. (previously presented) The graphical user interface of claim 63, wherein the vehicle status reports and the vehicle service recommendations comprise icons indicating the vehicle's diagnostic status.